

NO. 62868

**APPLICATION FOR PERMISSION TO CHANGE POINT OF
DIVERSION, MANNER OF USE AND PLACE OF USE OF THE
PUBLIC WATERS OF THE STATE OF NEVADA
HERETOFORE APPROPRIATED**

Date of filing in State Engineer's Office FEB 21 1997

Returned to applicant for correction _____

Corrected application filed _____

Map filed FEB 26 1997

The applicant Richard T. and Ruth H. Donovan, hereby make application for permission to change the Place of Use of water heretofore appropriated under a portion of Permit No. 30153 Certificate 9225

1. The source of water is Underground
2. The amount of water to be changed N/A (0.5799 CFS) (120.48 Acre-Feet)
3. The water to be used for irrigation and domestic
4. The water heretofore permitted for irrigation and domestic
5. The water is to be diverted at the following point SE $\frac{1}{4}$ NE $\frac{1}{4}$ of Section 23, Township 21 North, Range 20 East, M.D.B.&M., or at a point from which the North $\frac{1}{4}$ corner of Section 24 bears North 60° 21' 23" East 3318.28 feet.
6. The existing permitted point of diversion is located within Same as above
7. Proposed place of use Request additional acreage to be added to existing place of use. Portions of Sections 23 and 24 of Township 21 North, Range 20 East, M.D.B.&M., see tabulation of supporting map. See exhibit "B" for 40 acre subdivision acreage total 61.04 acres
8. Existing place of use is an existing 30.12 acre alfalfa field in portions of section 23 and 24 of Township 21 North, range 20 East, M.D.B.&M., being Parcel 97-96-66-65-97 as shown on supporting map.
9. Use will be from January 1 to December 31 of each year.
10. Use was permitted from January 1 to December 31 of each year.
11. Description of proposed works Drilled well, pump, motor and irrigation system completed with totalizing meter.
12. Estimated cost of works \$50,000
13. Estimated time required to construct works 1 year
14. Estimated time required to complete the application of water to beneficial use 1 year for meter readings.
15. Remarks: See Exhibit A

By s/ Richard T. Donovan
P.O. Box 8352
Reno, NV. 89507

Compared cl/nsr

Protested _____

APR 17 2003
WITHDRAWN BY APPLICANT
J. Lucci, P.E. 2
STATE ENGINEER

OF STATE ENGINEER

This is to certify that I have examined the foregoing application, and do hereby grant the same, subject to the following limitations and conditions: